



From: LaRonda Koffi/R3/USEPA/US  
To: Kathy Hodgkiss/R3/USEPA/US@EPA,

Date: April 18, 2012

FIELD ACTIVITY

Water Supply (Gerald Heston)

- Provision of alternate water continues to keep water tanks filled.

Water Sampling (Gerald Heston)

- No homes sampled today; no additional homes scheduled yet.

Dimock Sampling Summary				
Week	Homes Sampled	Homes Receiving Water	Proposed for resampling	
1	11	3	5	
2	20	0	1	
3	17	0	2	
4	9	1	TBD (minimum of 1)	
Post - Week 4	4	0	TBD (*)	
Totals	61	4	TBD (Minimum of 9)	

Note: Proposed for resampling includes homes receiving alternate water from EPA plus homes where one or more contaminants were found at the tap at concentrations above the trigger level established for that contaminant. Total number of homes to be resampled subject to final comprehensive review of 1st round results.

\* = Data not final yet

COMMUNICATIONS (Gerald Heston)

- Site team continues to finalize other data packages in preparation for roll-out over the next several weeks.
- Of the 17 homes sampled during week 3: 12 have been scheduled to receive data packages by the end of the week, messages have been left at 4 homes to schedule appointments and 1 home was not able to be contacted. The site team will continue to call and stop by in person at this last residence.

CONGRESSIONAL (Jennie Saxe)

- None reported.

LEGAL ISSUES

- None reported.

Please let me know if you have questions.